

兔抗 PDZD2 多克隆抗体

中文名称：兔抗 PDZD2 多克隆抗体

英文名称：Anti-PDZD2 rabbit polyclonal antibody

别名：AIPC; PIN1; PAPIN; PDZK3

相关类别：一抗

抗原：PDZD2

储存：冷冻（-20℃）避光

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Proteins containing PDZ domains have been shown frequently to bind the C-termini of transmembrane receptors or ion channels. They have also been shown to bind to other PDZ domain proteins and could possibly be involved in intracellular signalling. The protein encoded by this gene contains six PDZ domains and shares sequence similarity with pro-interleukin-16 (pro-IL-16). Like pro-IL-16, the encoded protein localizes to the endoplasmic reticulum and is thought to be cleaved by a caspase to produce a secreted peptide containing two PDZ domains.
Applications:	IHC, IF
Name of antibody:	PDZD2
Immunogen:	Synthesized peptide derived from internal of human PDZD2.

Full name:	PDZ domain containing 2
Synonyms :	AIPC; PIN1; PAPIN; PDZK3
SwissProt:	O15018
IHC positive control:	Human prostate carcinoma tissue
IHC Recommend dilution:	50-100
IF positive control:	HepG2 cells
IF Recommend dilution:	100-500



