

## 兔抗 SOCS1 多克隆抗体

中文名称：兔抗 SOCS1 多克隆抗体

英文名称： Anti-SOCS1 rabbit polyclonal antibody

别名： JAB, CIS1, SSI1, TIP3, CISH1, SSI-1, SOCS-1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： SOCS1

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a member of the STAT-induced STAT inhibitor (SSI), also known as suppressor of cytokine signaling (SOCS), family. SSI family members are cytokine-inducible negative regulators of cytokine signaling. The expression of this gene can be induced by a subset of cytokines, including IL2, IL3 erythropoietin (EPO), CSF2/GM-CSF, and interferon (IFN)-gamma. The protein encoded by this gene functions downstream of cytokine receptors, and takes part in a negative feedback loop to attenuate cytokine signaling. Knockout studies in mice suggested the role of this gene as a modulator of IFN-gamma action, which is required for normal postnatal growth and survival.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	SOCS1

<b>Immunogen:</b>	Synthetic peptide of human SOCS1
<b>Full name:</b>	Suppressor of cytokine signaling 1
<b>Synonyms :</b>	JAB, CIS1, SSI1, TIP3, CISH1, SSI-1, SOCS-1
<b>SwissProt:</b>	O15524
<b>ELISA Recommended dilution:</b>	2000-10000
<b>IHC positive control:</b>	Human liver cancer and Human ovarian cancer
<b>IHC Recommend dilution:</b>	100-300
<b>WB Predicted band size:</b>	24 kDa
<b>WB Positive control:</b>	HT-29 and 231 cells
<b>WB Recommended dilution:</b>	500-2000



