

兔抗 OGA 多克隆抗体

中文名称：兔抗 OGA 多克隆抗体

英文名称：Anti-OGA rabbit polyclonal antibody

别名：O-GlcNAcase; MEA5; MGEA5; NCOAT

抗原：OGA

储存：冷冻（-20℃）

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The dynamic modification of cytoplasmic and nuclear proteins by O-linked N-acetylglucosamine (O-GlcNAc) addition and removal on serine and threonine residues is catalyzed by OGT (MIM 300255), which adds O-GlcNAc, and MGEA5, a glycosidase that removes O-GlcNAc modifications (Gao et al., 2001 [PubMed 11148210]).[supplied by OMIM, Mar 2008]
Applications:	ELISA, WB, IHC
Name of antibody:	OGA
Immunogen:	Fusion protein of human OGA
Full name:	O-GlcNAcase
Synonyms:	MEA5; MGEA5; NCOAT
SwissProt:	O60502
IHC positive control:	Human lung cancer
IHC Recommend dilution:	15-50

WB Predicted band size:	103 kDa
WB Positive control:	Mouse pancreas tissue
WB Recommended dilution:	200-1000



