

兔抗 H1-8 多克隆抗体

中文名称：兔抗 H1-8 多克隆抗体

英文名称：Anti-H1-8 rabbit polyclonal antibody

别名：H1.8 linker histone; H1.8; H1oo; osH1; H1FOO

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：H1-8

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. The protein encoded is a replication-independent histone that is a member

| | |
|--------------------------------|---|
| | er of the histone H1 family. This gene contains introns , unlike most histone genes. The related mouse gene i s expressed only in oocytes. [provided by RefSeq, Oct 2015] |
| Applications: | ELISA, IHC |
| Name of antibody: | H1-8 |
| Immunogen: | Synthetic peptide of human H1-8 |
| Full name: | H1.8 linker histone |
| Synonyms: | H1.8; H1oo; osH1; H1FOO |
| SwissProt: | Q8IZA3 |
| IHC positive control: | Human tonsil and Human esophagus cancer |
| IHC Recommend dilution: | 30-150 |



