

兔抗 STAU2 多克隆抗体

中文名称：兔抗 STAU2 多克隆抗体

英文名称：Anti-STAU2 rabbit polyclonal antibody

别名：staufen double-stranded RNA binding protein 2; 39K2; 39K3

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：STAU2

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

Staufen homolog 2 is a member of the family of double-stranded RNA (dsRNA)-binding proteins involved in the transport and/or localization of mRNA to different subcellular compartments and/or organelles. These proteins are characterized by the presence of multiple dsRNA-binding domains which are required to bind RNAs having double-stranded secondary structures. Staufen homolog 2 shares 48.5% and 59.9% similarity with drosophila and human staufen, respectively. The exact function of Staufen homolog 2 is not known, but since it contains 3 copies of conserved dsRNA binding domain, it could be involved in double-stranded RNA binding events. Several transcript variants encoding different isoforms have been found for this gene.

Applications:	ELISA, IHC
Name of antibody:	STAU2
Immunogen:	Fusion protein of human STAU2
Full name:	staufen double-stranded RNA binding protein 2
Synonyms:	39K2; 39K3
SwissProt:	Q9NUL3
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human thyroid cancer
IHC Recommend dilution:	40-200



