

## 兔抗 RAB29 多克隆抗体

- 中文名称：兔抗 RAB29 多克隆抗体
- 英文名称：Anti-RAB29 rabbit polyclonal antibody
- 别名：RAB29, member RAS oncogene family; RAB7L; RAB7L1
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：RAB29
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	The small GTPases Rab are key regulators in vesicle trafficking (PubMed:24788816). Essential for maintaining the integrity of the endosome-trans-Golgi network structure (By similarity). Together with LRRK2, plays a role in the retrograde trafficking pathway for recycling proteins, such as mannose 6 phosphate receptor (M6P R), between lysosomes and the Golgi apparatus in a retromer-dependent manner (PubMed:24788816). Recruits LRRK2 to the Golgi complex and stimulates LRRK2 kinase activity (PubMed:29212815). Regulates neuronal process morphology in the intact central nervous system.
--------------------	---

	em (CNS) (By similarity). May play a role in the formation of typhoid toxin transport intermediates during <i>S almonella enterica serovar Typhi</i> ( <i>S.Typhi</i> ) epithelial cell infection (PubMed:22042847).
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	RAB29
<b>Immunogen:</b>	Fusion protein of human RAB29
<b>Full name:</b>	RAB29, member RAS oncogene family
<b>Synonyms:</b>	RAB7L; RAB7L1
<b>SwissProt:</b>	O14966
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human prostate cancer and Human gastric cancer
<b>IHC Recommend dilution:</b>	100-300



