

## 兔抗 H1-2 多克隆抗体

中文名称: 兔抗 H1-2 多克隆抗体

英文名称: Anti-H1-2 rabbit polyclonal antibody

别 名: H1.2 linker histone, cluster member; H1C; H1.2; H1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: H1-2

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	Histones are basic nuclear proteins responsible for nucleos
	ome structure of the chromosomal fiber in eukaryotes. Tw
	o molecules of each of the four core histones (H2A, H2B,
	H3, and H4) form an octamer, around which approximatel
	y 146 bp of DNA is wrapped in repeating units, called nu
	cleosomes. The linker histone, H1, interacts with linker DN
	A between nucleosomes and functions in the compaction
	of chromatin into higher order structures. This gene is intr
	onless and encodes a replication-dependent histone that i
	s a member of the histone H1 family. Transcripts from thi

## www.shjning.com

	s gene lack polyA tails but instead contain a palindromic t ermination element. This gene is found in the large histon e gene cluster on chromosome 6. [provided by RefSeq, A ug 2015]
Applications:	ELISA, WB
Name of antibody:	H1-2
Immunogen:	Fusion protein of human H1-2
Full name:	H1.2 linker histone, cluster member
Synonyms:	H1C; H1.2; H1F2; H1s-1; HIST1H1C
SwissProt:	P16403
WB Predicted band size:	21 kDa
WB Positive control:	Jurkat cell lysate
WB Recommended dilution:	500-2000

