

兔抗 SLC5A5 多克隆抗体

中文名称: 兔抗 SLC5A5 多克隆抗体

英文名称: Anti-SLC5A5 rabbit polyclonal antibody

别名: NIS, TDH1

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: SLC5A5

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | This gene encodes a member of the sodium glucose cotransporter family. The encoded protein is responsible for the uptake of iodine in tissues such as the thyroid and lactating breast tissue. The iodine taken up by the thyroid is incorporated into the metabolic regulators triiodothyronine (T3) and tetraiodothyronine (T4). Mutations in this gene are associated with thyroid dysgenesis 1. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | SLC5A5 |
| Immunogen: | Synthetic peptide of human SLC5A5 |
| Full name: | solute carrier family 5 member 5 |
| Synonyms: | NIS; TDH1 |

| | |
|------------------------------------|---|
| SwissProt: | Q92911 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human esophagus cancer and Human thyroid cancer |
| IHC Recommend dilution: | 40-200 |
| WB Predicted band size: | 69 kDa |
| WB Positive control: | LOVO cell lysate |
| WB Recommended dilution: | 500-2000 |



