

## 兔抗 MPC1 多克隆抗体

中文名称：兔抗 MPC1 多克隆抗体

英文名称：Anti-MPC1 rabbit polyclonal antibody

别名：MPYCD; BRP44L; CGI-129; dJ68L15.3

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MPC1

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	The protein encoded by this gene is part of an MPC1/MPC2 heterodimer that is responsible for transporting pyruvate into mitochondria. The encoded protein is found in the inner mitochondrial membrane. Defects in this gene are a cause of mitochondrial pyruvate carrier deficiency. Several transcript variants, some protein coding and one non-protein coding, have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	MPC1
<b>Immunogen:</b>	Full length fusion protein
<b>Full name:</b>	mitochondrial pyruvate carrier 1
<b>Synonyms :</b>	MPYCD; BRP44L; CGI-129; dJ68L15.3

SwissProt:	Q9Y5U8
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain and human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	12 kDa
WB Positive control:	Hela cell and Human fetal liver tissue
WB Recommended dilution:	500-2000



