

兔抗 RNASE1 多克隆抗体

中文名称: 兔抗 RNASE1 多克隆抗体

英文名称: Anti-RNASE1 rabbit polyclonal antibody

别 名: ribonuclease A family member 1, pancreatic; RAC1; RIB1; RNS1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: RNASE1

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a member of the pancreatic-type of secretory ribonucleases, a subset of the ribonuclease A superfamily. The encoded endonuclease cleaves internal phosphodiester RNA bonds on the 3'-side of pyrimidine bases. It prefers poly(C) as a substrate and hydrolyzes 2 ',3'-cyclic nucleotides, with a pH optimum near 8.0. The encoded protein is monomeric and more commonly act s to degrade ds-RNA over ss-RNA. Alternative splicing o ccurs at this locus and four transcript variants encoding the same protein have been identified.
Applications:	ELISA, WB, IHC
Name of antibody:	RNASE1
Immunogen:	Fusion protein of human RNASE1



www.shjning.com

Full name:	ribonuclease A family member 1, pancreatic
Synonyms:	RAC1; RIB1; RNS1
SwissProt:	P07998
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	50-100
WB Predicted band size:	18 kDa
WB Positive control:	Rat pancreas tissue and Mouse pancreas tissue lysates
WB Recommended dilution:	500-2000





