

兔抗 NDUFS1 多克隆抗体

中文名称: 兔抗 NDUFS1 多克隆抗体

英文名称: Anti-NDUFS1 rabbit polyclonal antibody

别 名: CI-75k; CI-75Kd; PRO1304

相关类别: 一抗

储 存: 冷冻 (-20℃)

宿 主: Rabbit

抗原: NDUFS1

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene belongs to the complex I 75 kDa subunit family. Mammalian complex I is composed of 45 different subunits. It locates at the mitoch ondrial inner membrane. This protein has NADH dehydrogenase activity and oxidoreductase activity. It transfers electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone. This protein is the largest subunit of complex I and it is a component of the iron-sulfur (IP) fragment of the enzyme.
Applications:	ELISA, WB, IHC
Name of antibody:	NDUFS1
Immunogen:	Fusion protein of human NDUFS1



www.shjning.com

Full name:	NADH dehydrogenase (ubiquinone) Fe-S protein 1, 75kD a (NADH-coenzyme Q reductase)
Synonyms:	CI-75k; CI-75Kd; PRO1304
SwissProt:	P28331
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human breast cancer and human brain
IHC Recommend dilution:	50-200
WB Predicted band size:	79 kDa
WB Positive control:	Raji, Jurkat and hela cells
WB Recommended dilution:	1000-5000







