

# 兔抗 TCEB3 多克隆抗体

中文名称：兔抗 TCEB3 多克隆抗体

英文名称：Anti-TCEB3 rabbit polyclonal antibody

别名：EloA; SIII; TCEB3A; SIII p110

抗原：TCEB3

储存：冷冻（-20°C）避光

宿主：Rabbit

反应种属：Human Mouse Rat

相关类别：一抗


标记物：Unconjugate

克隆类型：Unconjugate

## 技术规格

<b>Background:</b>	his gene encodes the protein elongin A, which is a subunit of the transcription factor B (SIII) complex. The SIII complex is composed of elongins A/A2, B and C. It activates elongation by RNA polymerase II by suppressing transient pausing of the polymerase at many sites within transcription units. Elongin A functions as the transcriptionally active component of the SIII complex, whereas elongins B and C are regulatory subunits. Elongin A2 is specifically expressed in the testis, and capable of forming a stable complex with elongins B and C. The von Hippel-Lindau tumor suppressor protein binds to elongins B and C, and thereby inhibits transcription elongation.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	TCEB3

<b>Immunogen:</b>	Synthesized peptide derived from internal of human ELOA1.
<b>Full name:</b>	transcription elongation factor B (SIII), polypeptide 3 (110kDa, elongin A)
<b>Synonyms :</b>	EloA; SIII; TCEB3A; SIII p110
<b>SwissProt:</b>	Q14241
<b>IHC positive control:</b>	Human breast carcinoma tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	90 kDa
<b>WB Positive control:</b>	Jurkat cells and Huvec cells lysates
<b>WB Recommended dilution:</b>	500-3000





上海纪宁

[www.shjning.com](http://www.shjning.com)

