

## 兔抗 PPM1G 多克隆抗体

中文名称：兔抗 PPM1G 多克隆抗体

英文名称：Anti-PPM1G rabbit polyclonal antibody

别名：protein phosphatase, Mg<sup>2+</sup>/Mn<sup>2+</sup> dependent 1G; PP2CG; PPP2CG; PP2CGAMMA

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：PPM1G

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	The protein encoded by this gene is a member of the PP2C family of Ser/Thr protein phosphatases. PP2C family members are known to be negative regulators of cell stress response pathways. This phosphatase is found to be responsible for the dephosphorylation of Pre-mRNA splicing factors, which is important for the formation of functional spliceosome. Studies of a similar gene in mice suggested a role of this phosphatase in regulating cell cycle progression.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	PPM1G
<b>Immunogen:</b>	Fusion protein of human PPM1G

<b>Full name:</b>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1G
<b>Synonyms:</b>	PP2CG; PPP2CG; PP2CGAMMA
<b>SwissProt:</b>	O15355
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human tonsil
<b>IHC Recommend dilution:</b>	40-200



