

兔抗 NFKBID 多克隆抗体

- 中文名称: 兔抗 NFKBID 多克隆抗体
- 英文名称: Anti-NFKBID rabbit polyclonal antibody
- 别 名: TA-NFKBH, IkappaBNS
- 相关类别: 一抗
- 抗 原: NFKBID
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	May regulate the expression of IL-2, IL-6, and other cyto kines through regulation on NF-kappa-B activity. Functio ns in the regulation of inflammatory responses. May also regulate TCR-induced negative selection of thymocytes.IκB S, the nuclear IκB-like protein encoded by Nfkbid, is requi for the development of marginal zone and peritoneal B- 1 B cells and additionally required for extrafollicular anti body responses to T-independent and -dependent immu nogens.IκBNS has been identified as a member of the IκB family of NF-κB inhibitors, which undergoes induction upo TCR signaling. IκBNS mediates both positive and negative gene regulation, depending on individual cell type and/o r cytokine.
Applications:	ELISA, WB, IHC



www.shjning.com

Name of antibody:	NFKBID
Immunogen:	Fusion protein of human NFKBID
Full name:	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, delta
Synonyms :	TA-NFKBH, IkappaBNS
SwissProt:	Q8NI38
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human colon cancer and Human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	33 kDa
WB Positive control:	RAW264.7 cells
WB Recommended dilution:	200-1000





www.shjning.com

