

兔抗 TDP2 多克隆抗体

中文名称: 兔抗 TDP2 多克隆抗体

英文名称: Anti-TDP2 rabbit polyclonal antibody

别名: EAP2; AD022; EAPII; TTRAP; hTDP2; dJ30M3.3

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: TDP2

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | This gene encodes a member of a superfamily of divalent cation-dependent phosphodiesterases. The encoded protein associates with CD40, tumor necrosis factor (TNF) receptor-75 and TNF receptor associated factors (TRAFs), and inhibits nuclear factor-kappa-B activation. This protein has sequence and structural similarities with APE1 endonuclease, which is involved in both DNA repair and the activation of transcription factors. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | TDP2 |
| Immunogen: | Synthetic peptide of human TDP2 |
| Full name: | tyrosyl-DNA phosphodiesterase 2 |
| Synonyms: | EAP2; AD022; EAPII; TTRAP; hTDP2; dJ30M3.3 |

| | |
|-----------------------------|--|
| SwissProt: | O95551 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human cervical cancer and Human thyroid cancer |
| IHC Recommend dilution: | 50-300 |
| WB Predicted band size: | 41 kDa |
| WB Positive control: | Mouse small intestines tissue lysate |
| WB Recommended dilution: | 500-2000 |





