

兔抗 PDIA4 多克隆抗体

中文名称：兔抗 PDIA4 多克隆抗体

英文名称：Anti-PDIA4 rabbit polyclonal antibody

别名：protein disulfide isomerase family A member 4; ERP70; ERP72; ERp-72

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：PDIA4

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the disulfide isomerase (PDIA) family of endoplasmic reticulum (ER) proteins that catalyze protein folding and thiol-disulfide interchange reactions. The encoded protein has an N-terminal ER-signal sequence, three catalytically active thioredoxin (TRX) domains, two TRX-like domains and a C-terminal ER-retention sequence. This protein, when bound to cyclophilin B, enhances the rate of immunoglobulin G intermolecular disulfide bonding and antibody assembly.
Applications:	ELISA, WB, IHC
Name of antibody:	PDIA4
Immunogen:	Fusion protein of human PDIA4
Full name:	protein disulfide isomerase family A member 4

Synonyms:	ERP70; ERP72; ERp-72
SwissProt:	P13667
ELISA Recommended dilution :	5000-10000
IHC positive control:	Human cervical cancer and Human thyroid cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	73 kDa
WB Positive control:	NIH/3T3 and RAW264.7 cell lysates
WB Recommended dilution:	500-2000



