

兔抗 MVK 多克隆抗体

中文名称: 兔抗 MVK 多克隆抗体

英文名称: Anti-MVK rabbit polyclonal antibody

别 名: MK; LRPB; MVLK; POROK3

相关类别: 一抗

储 存: 冷冻 (-20°C)

宿 主: Rabbit

抗 原: MVK

反应种属: Human, Mouse, Rat


标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes the peroxisomal enzyme mevalonate kinase. Mevalonate is a key intermediate, and mevalonate kinase a key early enzyme, in isoprenoid and sterol synthesis. Mevalonate kinase deficiency caused by mutation of this gene results in mevalonic aciduria, a disease characterized by psychomotor retardation, failure to thrive, hepatosplenomegaly, anemia and recurrent febrile crises. Defects in this gene also cause hyperimmunoglobulinaemia D and periodic fever syndrome, a disorder characterized by recurrent episodes of fever associated with lymphadenopathy, arthralgia, gastrointestinal dismay and skin rash.
Applications:	ELISA, WB, IHC
Name of antibody:	MVK

Immunogen:	Fusion protein of human MVK
Full name:	mevalonate kinase
Synonyms :	MVK; LRPB; MVLK; POROK3
SwissProt:	Q03426
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer and Human esophagus cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	42 kDa
WB Positive control:	Raji cells
WB Recommended dilution:	200-1000





上海纪宁

www.shjning.com

