

兔抗 SMAD4 多克隆抗体

中文名称: 兔抗 SMAD4 多克隆抗体

英文名称: Anti-SMAD4 rabbit polyclonal antibody

别 名: JIP, DPC4, MADH4, MYHRS

相关类别: 一抗

抗 原: SMAD4

存: 冷冻 (-20℃)

主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物 : Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | This gene encodes a member of the Smad family of signal transduction proteins. Smad proteins are phosphorylated and activated by transmembrane serine-threonine receptor kinases in response to T GF-beta signaling. The product of this gene form s homomeric complexes and heteromeric complex es with other activated Smad proteins, which the n accumulate in the nucleus and regulate the transcription of target genes. This protein binds to DNA and recognizes an 8-bp palindromic sequence (GTCTAGAC) called the Smad-binding element (SBE). |
|-------------------|---|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | SMAD4 |
| Immunogen: | Fusion protein of human SMAD4 |



| Full name: | SMAD family member 4 |
|-----------------------------|--------------------------------------|
| Synonyms: | JIP; DPC4; MADH4; MYHRS |
| SwissProt: | Q13485 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human thyroid cancer and human brain |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 60 kDa |
| WB Positive control: | 293T cells |
| WB Recommended dilution: | 200-1000 |





