

兔抗 TCP1 多克隆抗体

中文名称：兔抗 TCP1 多克隆抗体

英文名称：Anti-TCP1 rabbit polyclonal antibody

别名：CCT1; CCTa; D6S230E; CCT-alpha; TCP-1-alpha

相关类别：一抗

抗原：TCP1

储存：冷冻（-20℃）避光

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a molecular chaperone that is a member of the chaperonin containing TCP1 complex (CCT), also known as the TCP1 ring complex (TRiC). This complex consists of two identical stacked rings, each containing eight different proteins. Unfolded polypeptides enter the central cavity of the complex and are folded in an ATP-dependent manner. The complex folds various proteins, including actin and tubulin. Alternate transcriptional splice variants of this gene, encoding different isoforms, have been characterized.
Applications:	WB, IHC
Name of antibody:	TCP1
Immunogen:	Fusion protein of human TCP1

Full name:	t-complex 1
Synonyms :	CCT1; CCTa; D6S230E; CCT-alpha; TCP-1-alpha
SwissProt:	P17987
IHC positive control:	Human liver cancer and Human prostate cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	60 kDa
WB Positive control:	Hela, Jurkat, 231, hepg2 and PC3 cell
WB Recommended dilution:	500-2000



