

兔抗 TNFRSF1B 多克隆抗体

中文名称: 兔抗 TNFRSF1B 多克隆抗体

英文名称: Anti-TNFRSF1B rabbit polyclonal antibody

别 名: p75; TBPII; TNFBR; TNFR2; CD120b; TNFR1B; TNFR80; TNF-R75; p75TNFR; TNF-R-II

抗原: TNFRSF1B

储 存: 冷冻(-20℃)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the TNF-receptor superfamily. This protein and TNF-recepto r 1 form a heterocomplex that mediates the recruitmen t of two anti-apoptotic proteins, c-IAP1 and c-IAP2, whi ch possess E3 ubiquitin ligase activity. The function of I APs in TNF-receptor signalling is unknown, however, c-I AP1 is thought to potentiate TNF-induced apoptosis by the ubiquitination and degradation of TNF-receptor-ass ociated factor 2, which mediates anti-apoptotic signals. Knockout studies in mice also suggest a role of this pr otein in protecting neurons from apoptosis by stimulating antioxidative pathways.
Applications:	ELISA, WB, IHC
Name of antibody:	TNFRSF1B
Immunogen:	Fusion protein of human TNFRSF1B



www.shjning.com

Full name:	Tumor necrosis factor receptor superfamily, member 1B
Synonyms :	p75; TBPII; TNFBR; TNFR2; CD120b; TNFR1B; TNFR80; T NF-R75; p75TNFR; TNF-R-II
SwissProt:	P20333
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human liver cancer and human cervical cancer
IHC Recommend dilution:	5-20
WB Predicted band size:	48 kDa
WB Positive control:	Human colon cancer
WB Recommended dilution:	200-1000





