

兔抗 RPS9 多克隆抗体

中文名称：兔抗 RPS9 多克隆抗体

英文名称：Anti-RPS9 rabbit polyclonal antibody

别名：S9

抗原：RPS9

储存：冷冻（-20℃）避光

宿主：Rabbit

反应种属：Human Mouse Rat

相关类别：一抗

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	<p>Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S4P family of ribosomal proteins. It is located in the cytoplasm. Variable expression of this gene in colorectal cancers compared to adjacent normal tissues has been observed, although no correlation between the level of expression and the severity of the disease has been found. As is typical for genes encoding ribosomal proteins, multiple processed pseudogenes derived from this gene are dispersed throughout the genome.</p>
--------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Applications:	WB, IF
Name of antibody:	RPS9
Immunogen:	Synthesized peptide derived from internal of human RPS 9.
Full name:	ribosomal protein S9
Synonyms :	S9
SwissProt:	P46781
WB Predicted band size:	23 kDa
WB Positive control:	HepG2 cells, COLO cells, HT-29 cells, Hela cells and Huv ec cells lysates
WB Recommended dilution:	500-3000
IF positive control:	A549 cells
IF Recommend dilution:	100-500



