

兔抗 PCK1 多克隆抗体

中文名称: 兔抗 PCK1 多克隆抗体

英文名称: Anti-PCK1 rabbit polyclonal antibody

别 名: PEPCK1; PEPCKC; PEPCK-C

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: PCK1

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene is a main control point for the regulation of g luconeogenesis. The cytosolic enzyme encoded by this ge ne, along with GTP, catalyzes the formation of phosphoe nolpyruvate from oxaloacetate, with the release of carbon dioxide and GDP. The expression of this gene can be reg ulated by insulin, glucocorticoids, glucagon, cAMP, and di et. Defects in this gene are a cause of cytosolic phospho enolpyruvate carboxykinase deficiency. A mitochondrial is ozyme of the encoded protein also has been characterize d.
Applications:	ELISA, WB
Name of antibody:	PCK1
Immunogen:	Synthetic peptide of human PCK1



Full name:	phosphoenolpyruvate carboxykinase 1 (soluble)
Synonyms:	PEPCK1; PEPCKC; PEPCK-C
SwissProt:	P35558
ELISA Recommended dilution:	2000-5000
WB Predicted band size:	69 kDa
WB Positive control:	Mouse liver and kidney tissue
WB Recommended dilution:	500-2000

