

兔抗 RORC 多克隆抗体

中文名称: 兔抗 RORC 多克隆抗体

英文名称: Anti-RORC rabbit polyclonal antibody

别 名: TOR; RORG; RZRG; NR1F3; RZR-GAMMA

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

抗 原: RORC

宿 主: Rabbit

反应种属: Human Mouse

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

The protein encoded by this gene is a DNA-bindin g transcription factor and is a member of the NR1 subfamily of nuclear hormone receptors. The specific c functions of this protein are not known; however, studies of a similar gene in mice have shown that this gene may be essential for lymphoid organogen



www.shjning.com

	esis and may play an important regulatory role in t hymopoiesis. In addition, studies in mice suggest t hat the protein encoded by this gene may inhibit t
	he expression of Fas ligand and IL2.
Applications:	WB
Name of antibody:	RORC
Immunogen:	Synthesized peptide derived from internal of huma n RORG.
Full name:	RAR-related orphan receptor C
Synonyms :	TOR; RORG; RZRG; NR1F3; RZR-GAMMA
SwissProt:	P51449
WB Predicted band size:	58 kDa
WB Positive control:	Huvec cells lysate
WB Recommended dilution:	500-3000

www.shjning.com

kDa 250 — 150 —

100 **—**

75**—**

50 **—**

37**—**

25**—**

20—

15**—**