

兔抗 PARK2 多克隆抗体

中文名称：兔抗 PARK2 多克隆抗体

英文名称：Anti-PARK2 rabbit polyclonal antibody

别名：PDJ; PRKN; AR-JP; LPRS2

相关类别：一抗

储存：冷冻（-20℃）避光

抗原：PARK2

宿主：Rabbit

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

| | |
|--------------------------|---|
| Background: | The precise function of this gene is unknown; however, the encoded protein is a component of a multiprotein E3 ubiquitin ligase complex that mediates the targeting of substrate proteins for proteasomal degradation. Mutations in this gene are known to cause Parkinson disease and autosomal recessive juvenile Parkinson disease. Alternative splicing of this gene produces multiple transcript variants encoding distinct isoforms. Additional splice variants of this gene have been described but currently lack transcript support. |
| Applications: | WB, IHC |
| Name of antibody: | PARK2 |
| Immunogen: | Synthesized peptide derived from human Parkin antibody. |

| | |
|---------------------------------|--|
| Full name: | parkin RBR E3 ubiquitin protein ligase |
| Synonyms : | PDJ; PRKN; AR-JP; LPRS2 |
| SwissProt: | O60260 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 52 kDa |
| WB Positive control: | Jurkatcells lysate |
| WB Recommended dilution: | 500-3000 |



