

兔抗 RPS28 多克隆抗体

中文名称: 兔抗 RPS28 多克隆抗体

英文名称: Anti-RPS28 rabbit polyclonal antibody

名: ribosomal protein S28; S28; DBA15

储 存: 冷冻(-20℃)

原: RPS28 抗

宿 主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Ribosomes, the organelles that catalyze protein s ynthesis, consist of a small 40S subunit and a lar ge 60S subunit. Together these subunits are com posed of 4 RNA species and approximately 80 str ucturally distinct proteins. This gene encodes a ri bosomal protein that is a component of the 40S subunit. The protein belongs to the S28E family of ribosomal proteins. It is located in the cytopla sm. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.
Applications:	ELISA, WB, IHC
Name of antibody:	RPS28
Immunogen:	Synthetic peptide of human RPS28
Full name:	ribosomal protein S28



Synonyms:	S28; DBA15
SwissProt:	P62857
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human colorectal can cer
IHC Recommend dilution:	40-200
WB Predicted band size:	8 kDa
WB Positive control:	293T and PC3 cell, Mouse spleen tissue, 231 cell, Human breast cancer tissue, Mouse kidney tissue lysates
WB Recommended dilution:	500-2000









