

## 兔抗 PDZD3 多克隆抗体

中文名称：兔抗 PDZD3 多克隆抗体

英文名称：Anti-PDZD3 rabbit polyclonal antibody

别名：PDZ domain containing 3; IKEPP; PDZK2; NHERF4

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：PDZD3

应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	Guanylyl cyclase C (GCC, or GUCY2C; MIM 601330) produces cGMP following the binding of either endogenous ligands or heat-stable enterotoxins secreted by E. coli and other enteric bacteria. Activation of GCC initiates a signaling cascade that leads to phosphorylation of the cystic fibrosis transmembrane conductance regulator (CFTR; MIM 602421), followed by a net efflux of ions and water into the intestinal lumen. IKEPP is a regulatory protein that associates with GCC and regulates the amount of cGMP produced following receptor stimulation (Scott et al., 2002 [PubMed 11950846]).
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	PDZD3

<b>Immunogen:</b>	Fusion protein of human PDZD3
<b>Full name:</b>	PDZ domain containing 3
<b>Synonyms:</b>	IKEPP; PDZK2; NHERF4
<b>SwissProt:</b>	Q86UT5
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human cervical cancer and Human tonsil
<b>IHC Recommend dilution:</b>	25-100



