

## 兔抗 NR4A3 多克隆抗体

中文名称: 兔抗 NR4A3 多克隆抗体

英文名称: Anti-NR4A3 rabbit polyclonal antibody

别 名: CHN; TEC; CSMF; NOR1; MINOR

储 存: 冷冻 (-20℃) 避光

抗 原: NR4A3

宿 主: Rabbit

相关类别: 一抗

反应种属: Human

标 记 物: Unconjugate

克隆类型: Unconjugate

技术规格

### Background:

This gene encodes a member of the steroid-thyroid hormone-retinoid receptor superfamily. The encoded protein may act as a transcriptional activator. The protein can efficiently bind the NGFI-B Response Element (NBRE). Three different versions of extraskeletal myxoid chondrosarcomas (EMCs) are the result of reciprocal translocations between this gene and other genes. The translocation breakpoints are associated with Nuclear Receptor Subfamily 4, Group A, Member 3 (on chromosome 9) and either Ewing Sarcoma Breakpoint Region 1 (on chromosome 22), RNA Polymerase II, TATA Box-Binding Protein-Associated Factor, 68-KD (on chromosome 17), or Transcription factor 12 (on chromosome 15). Multiple transcript variants encoding different isoforms have been found for this gene.

<b>Applications:</b>	WB
<b>Name of antibody:</b>	NR4A3
<b>Immunogen:</b>	Synthesized peptide derived from internal of human NR4A3.
<b>Full name:</b>	nuclear receptor subfamily 4, group A, member 3
<b>Synonyms :</b>	CHN; TEC; CSMF; NOR1; MINOR
<b>SwissProt:</b>	Q92570
<b>WB Predicted band size:</b>	68 kDa
<b>WB Positive control:</b>	COLO cells lysate
<b>WB Recommended dilution:</b>	500-3000

