

兔抗 MAPK7 多克隆抗体

- 中文名称: 兔抗 MAPK7 多克隆抗体
- 英文名称: Anti-MAPK7 rabbit polyclonal antibody
- 别名: BMK1; ERK4; ERK5; PRKM7
- 相关类别: 一抗
- 储存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: MAPK7
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for m ultiple biochemical signals, and are involved in a wide variet y of cellular processes such as proliferation, differentiation, t ranscription regulation and development. This kinase is speci fically activated by mitogen-activated protein kinase kinase 5 (MAP2K5/MEK5). It is involved in the downstream signaling processes of various receptor molecules including receptor t ype kinases, and G protein-coupled receptors.
Applications:	ELISA, WB, IHC
Name of antibody:	MAPK7
Immunogen:	Fusion protein of human MAPK7
Full name:	mitogen-activated protein kinase 7



www.shjning.com

Sum on sum o	
Synonyms :	BMK1; ERK4; ERK5; PRKM7
SwissProt:	Q13164
ELISA Recommended diluti on:	1000-2000
IHC positive control:	Human liver cancer and human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	88 kDa
WB Positive control:	Human fetal muscle tissue
WB Recommended dilution:	200-1000





