

# 兔抗 PEX10 多克隆抗体

中文名称: 兔抗 PEX10 多克隆抗体

英文名称: Anti-PEX10 rabbit polyclonal antibody

别 名: NALD; PBD6A; PBD6B; RNF69

抗 原: PEX10

储 存: 冷冻 (-20°C) 避光

宿 主: Rabbit

反应种属: Human

相关类别: 一抗


标记物: Unconjugate

克隆类型: Unconjugate

## 技术规格

<b>Background:</b>	This gene encodes a protein involved in import of peroxisomal matrix proteins. This protein localizes to the peroxisomal membrane. Mutations in this gene result in phenotypes within the Zellweger spectrum of peroxisomal biogenesis disorders, ranging from neonatal adrenoleukodystrophy to Zellweger syndrome. Alternative splicing results in two transcript variants encoding different isoforms.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	PEX10
<b>Immunogen:</b>	Synthesized peptide derived from internal of human PEX10.
<b>Full name:</b>	peroxisomal biogenesis factor 10
<b>Synonyms :</b>	NALD; PBD6A; PBD6B; RNF69
<b>SwissProt:</b>	O60683

IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	37 kDa
WB Positive control:	Jurkat cells lysate
WB Recommended dilution:	500-3000





上海纪宁

[www.shjning.com](http://www.shjning.com)

