

兔抗 PEX14 多克隆抗体

中文名称: 兔抗 PEX14 多克隆抗体

英文名称: Anti-PEX14 rabbit polyclonal antibody

别 名: NAPP2; PBD13A; Pex14p; dJ734G22.2

储 存: 冷冻(-20℃) 避光

抗 原: PEX14

宿 主: Rabbit

反应种属: Human Mouse

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: Unconjugate


技术规格

Background:	This gene encodes an essential component of the peroxiso mal import machinery. The protein is integrated into peroxis ome membranes with its C-terminus exposed to the cytosol, and interacts with the cytosolic receptor for proteins contain ing a PTS1 peroxisomal targeting signal. The protein also functions as a transcriptional corepressor and interacts with a histone deacetylase. A mutation in this gene results in one form of Zellweger syndrome.
Applications:	WB, IHC
Name of antibody:	PEX14
Immunogen:	Synthesized peptide derived from internal of human PEX14.
Full name:	peroxisomal biogenesis factor 14
Synonyms:	NAPP2; PBD13A; Pex14p; dJ734G22.2



www.shjning.com

SwissProt:	O75381
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	41 kDa
WB Positive control:	A549 cells lysate
WB Recommended dilution:	500-3000





www.shjning.com

