

## 兔抗 NTNG2 多克隆抗体

中文名称: 兔抗 NTNG2 多克隆抗体

英文名称: Anti-NTNG2 rabbit polyclonal antibody

别 名: netrin G2; Lmnt2; NTNG1; LHLL9381; bA479K20.1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: NTNG2

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

## **Background:**

Netrin G1 and Netrin G2, also referred to as laminet-1 a nd laminet-2, are membrane bound axon guidance molec ules involved in synaptic formation and maintenance. The y comprise a subgroup within the UNC-6/netrin family. B oth genes have been associated with schizophrenia involving single nucleotide polymorphisms. They are both expressed in the brain but G1 is most predominantly expressed in the thalamus and G2 is most predominantly expressed in the cortex and hippocampus. These two proteins differ from classical netrins by their failure to bind netrin receptors, the presence of a glycosyl phosphatidylinositol membrane anchor, and the generation of multiple isoforms. Netrin G2 contains one laminin N-terminal domain and three laminin EGF-like domains. It selectively interacts



## www.shjning.com

	with LRRC4 and this association may mediate cell adhesio n. In addition, Netrin G2 is significantly downregulated in bladder transitional cell carcinoma (TCC) and may be a p utative tumor suppressor gene.
Applications:	ELISA, WB
Name of antibody:	NTNG2
Immunogen:	Synthetic peptide of human NTNG2
Full name:	netrin G2
Synonyms:	Lmnt2; NTNG1; LHLL9381; bA479K20.1
SwissProt:	Q96CW9
<b>ELISA Recommended dilution:</b>	5000-10000
WB Predicted band size:	60 kDa
WB Positive control:	HEPG2 cell lysate
WB Recommended dilution:	200-1000

