

## 兔抗 SMAD2 (Phospho-Ser467)多克隆抗体

|       |  |
|-------|--|
| 中文名称: | 兔抗 SMAD2 (Phospho-Ser467)多克隆抗体                         |
| 英文名称: | Anti-SMAD2 (Phospho-Ser467) rabbit polyclonal antibody |
| 别名:   | JV18; MADH2; MADR2; JV18-1; hMAD-2; hSMAD2             |
| 相关类别: | 一抗   |
| 储存:   | 冷冻 (-20℃) 避光   |
| 宿主:   | Rabbit   |
| 抗原:   | SMAD2 (Phospho-Ser467)                                 |
| 反应种属: | Human, Mouse, Rat                                      |
| 标记物:  | Unconjugate  |
| 克隆类型: | rabbit polyclonal                                      |

### 技术规格

|                                |   |
|--------------------------------|---|
| <b>Background:</b>             | Transcriptional modulator activated by TGF-beta and activin type 1 receptor kinase. SMAD2 is a receptor-regulated SMAD (R-SMAD). May act as a tumor suppressor in colorectal carcinoma. |
| <b>Applications:</b>           | WB  |
| <b>Name of antibody:</b>       | SMAD2 (Phospho-Ser467)  |
| <b>Immunogen:</b>              | Synthetic peptide of human SMAD2 (Phospho-Ser467)   |
| <b>Full name:</b>              | SMAD family member 2 (Phospho-Ser467)   |
| <b>Synonyms :</b>              | JV18; MADH2; MADR2; JV18-1; hMAD-2; hSMAD2  |
| <b>SwissProt:</b>              | Q15796  |
| <b>WB Predicted band size:</b> | 52 kDa  |

|                          |                             |
|--------------------------|-----------------------------|
| WB Positive control:     | Hela cells treated with PMA |
| WB Recommended dilution: | 500-1000                    |

