

兔抗 MAP2K6 多克隆抗体

- 中文名称：兔抗 MAP2K6 多克隆抗体
- 英文名称：Anti-MAP2K6 rabbit polyclonal antibody
- 别名：MEK6, MKK6, MAPKK6, PRKMK6, SAPKK3, SAPKK-3
- 抗原：MAP2K6
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 相关类别：一抗
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes a member of the dual specificity protein kinase family, which functions as a mitogen-activated protein (MAP) kinase kinase. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals. This protein phosphorylates and activates p38 MAP kinase in response to inflammatory cytokines or environmental stress. As an essential component of p38 MAP kinase mediated signal transduction pathway, this gene is involved in many cellular processes such as stress induced cell cycle arrest, transcription activation and apoptosis. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | MAP2K6 |

| | |
|------------------------------------|---|
| Immunogen: | Fusion protein of human MAP2K6 |
| Full name: | mitogen-activated protein kinase kinase 6 |
| Synonyms : | MEK6, MKK6, MAPKK6, PRKMK6, SAPKK3, SAPKK-3 |
| SwissProt: | P52564 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human liver cancer and human breast cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 37 kDa |
| WB Positive control: | Mouse muscle tissue |
| WB Recommended dilution: | 500-2000 |



