

兔抗 STT3A 多克隆抗体

中文名称：兔抗 STT3A 多克隆抗体

英文名称：Anti-STT3A rabbit polyclonal antibody

别名：STT3A, catalytic subunit of the oligosaccharyltransferase complex; TMC; ITM1; STT3-A

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：STT3A

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a catalytic subunit of the N-oligosaccharyltransferase (OST) complex, which functions in the endoplasmic reticulum to transfer glyc an chains to asparagine residues of target proteins. A s eparate complex containing a similar catalytic subunit with an overlapping function also exists. Multiple transc ript variants encoding different isoforms have been fou nd for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	STT3A
Immunogen:	Fusion protein of human STT3A
Full name:	STT3A, catalytic subunit of the oligosaccharyltransferase complex

Synonyms:	TMC; ITM1; STT3-A
SwissProt:	P46977
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	81 kDa
WB Positive control:	Mouse liver tissue and Human placenta tissue lysates
WB Recommended dilution:	200-1000



