

## 兔抗 TAF12 多克隆抗体

- 中文名称: 兔抗 TAF12 多克隆抗体
- 英文名称: Anti-TAF12 rabbit polyclonal antibody
- 别 名: TAF2J; TAFII20
- 相关类别: 一抗
- 储存: 冷冻(-20℃)
- 宿主: Rabbit
- 抗原: TAF12
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

| Background:       | Control of transcription by RNA polymerase II invol<br>ves the basal transcription machinery which is a col<br>lection of proteins. These proteins with RNA polym<br>erase II, assemble into complexes which are modul<br>ated by transactivator proteins that bind to cis-reg<br>ulatory elements located adjacent to the transcripti<br>on start site. Some modulators interact directly wit<br>h the basal complex, whereas others may act as bri<br>dging proteins linking transactivators to the basal t<br>ranscription factors. Some of these associated facto<br>rs are weakly attached while others are tightly asso<br>ciated with TBP in the TFIID complex. Among the l<br>atter are the TAF proteins. |
|-------------------|---|
| Applications:     | ELISA, IHC  |
| Name of antibody: | TAF12   |



| Immunogen:                  | Fusion protein of human TAF12  |
|-----------------------------|--|
| Full name:                  | TAF12 RNA polymerase II, TATA box binding protei<br>n (TBP)-associated factor, 20kDa |
| Synonyms :                  | TAF2J; TAFII20   |
| SwissProt:                  | Q16514   |
| ELISA Recommended dilution: | 2000-5000  |
| IHC positive control:       | Human esophagus cancer and human ovarian canc er                                     |
| IHC Recommend dilution:     | 25-100   |

