

兔抗 TRAF7 多克隆抗体

中文名称: 兔抗 TRAF7 多克隆抗体

英文名称: Anti-TRAF7 rabbit polyclonal antibody

别 名: RFWD1, RNF119

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: TRAF7

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Tumor necrosis factor (TNF; see MIM 191160) receptor-ass ociated factors, such as TRAF7, are signal transducers for members of the TNF receptor superfamily (see MIM 19119 0). TRAFs are composed of an N-terminal cysteine/histidin e-rich region containing zinc RING and/or zinc finger moti fs; a coiled-coil (leucine zipper) motif; and a homologous region that defines the TRAF family, the TRAF domain, wh ich is involved in self-association and receptor binding.
Applications:	ELISA, WB, IHC
Name of antibody:	TRAF7
Immunogen:	Synthetic peptide of human TRAF7
Full name:	TNF receptor-associated factor 7, E3 ubiquitin protein ligas e
Synonyms:	RFWD1, RNF119



www.shjning.com

SwissProt:	Q6Q0C0
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human colon cancer and Human gastric cancer
IHC Recommend dilution:	15-50
WB Predicted band size:	67 kDa
WB Positive control:	Jurkat cells
WB Recommended dilution:	200-1000





