

兔抗 STAR 多克隆抗体

中文名称：兔抗 STAR 多克隆抗体

英文名称：Anti-STAR rabbit polyclonal antibody

别名：STARD1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：STAR

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | The protein encoded by this gene plays a key role in the acute regulation of steroid hormone synthesis by enhancing the conversion of cholesterol into pregnenolone. This protein permits the cleavage of cholesterol into pregnenolone by mediating the transport of cholesterol from the outer mitochondrial membrane to the inner mitochondrial membrane. Mutations in this gene are a cause of congenital lipoid adrenal hyperplasia (CLAH), also called lipoid CAH. A pseudogene of this gene is located on chromosome 13. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | STAR |
| Immunogen: | Fusion protein of human STAR |
| Full name: | steroidogenic acute regulatory protein |
| Synonyms : | STARD1 |

| | |
|-----------------------------|-------------------|
| SwissProt: | P49675 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human lung cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 32 kDa |
| WB Positive control: | 231 cells |
| WB Recommended dilution: | 200-1000 |



