

## ERBB3 抗原(重组蛋白)

中文名称: ERBB3 抗原(重组蛋白)

英文名称: ERBB3 Antigen (Recombinant Protein)

储 存: 冷冻(-20℃)

相关类别: 抗原

概述

Fusion protein corresponding to C terminal 250 amino acids of human ERBB3

## 技术规格

| Full name:         | erb-b2 receptor tyrosine kinase 3   |
|--------------------|---|
| Synonyms:          | HER3, LCCS2, ErbB-3, c-erbB3, erbB3-S, MDA-BF-1, c-erbB-3, p180 -ErbB3, p45-sErbB3, p85-sErbB3  |
| Swissprot:         | P21860  |
| Gene Accession:    | BC002706  |
| Purity:            | >85%, as determined by Coomassie blue stained SDS-PAGE  |
| Expression system: | Escherichia coli  |
| Tags:              | His tag C-Terminus, GST tag N-Terminus  |
| Background:        | This gene encodes a member of the epidermal growth factor rece ptor (EGFR) family of receptor tyrosine kinases. This membrane-bo und protein has a neuregulin binding domain but not an active k inase domain. It therefore can bind this ligand but not convey the e signal into the cell through protein phosphorylation. However, it does form heterodimers with other EGF receptor family members which do have kinase activity. Heterodimerization leads to the activation of pathways which lead to cell proliferation or differentiation. Amplification of this gene and/or overexpression of its protein have been reported in numerous cancers, including prostate, bladder, and breast tumors. Alternate transcriptional splice variants encoding different isoforms have been characterized. One isoform |



## www.shjning.com

lacks the intermembrane region and is secreted outside the cell. This form acts to modulate the activity of the membrane-bound f orm. Additional splice variants have also been reported, but they have not been thoroughly characterized.