

兔抗 FUNDC2 多克隆抗体

中文名称: 兔抗 FUNDC2 多克隆抗体

英文名称: Anti-FUNDC2 rabbit polyclonal antibody

别 名: FUN14 domain containing 2; DC44; HCC3; HCBP6; PD03104

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: FUNDC2

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal


技术规格

Background:

FUNDC2 (FUN14 domain-containing protein 2), also k nown as HCC-3 (cervical cancer proto-oncogene 3 protein), HCBP6 (hepatitis C virus core-binding protein 6) or DC44, is a 189 amino acid protein belonging to the FUN14 family. The gene encoding FUNDC2 maps to human chromosome Xq28. The X and Y chromosomes are the human sex chromosomes. Chromosome X consists of about 153 million base pairs and nearly 1,000 genes. The combination of an X and Y chromosome lead to normal male development while two copies of X lead to normal female development. More than one copy of the X chromosome with a Y chromosome causes Klinefelter's syndrome. A single copy of X alone leads to Turner's syndrome. More than 2 copies of the X chromosome, in the absence of



	2 0
	a Y chromosome, is known as Triple X syndrome. Col or blindness, hemophilia, and Duchenne muscular dys trophy are well known X chromosome-linked conditio ns which affect males more frequently as males carry a single X chromosome.
Applications:	ELISA, IHC
Name of antibody:	FUNDC2
Immunogen:	Fusion protein of human FUNDC2
Full name:	FUN14 domain containing 2
Synonyms:	DC44; HCC3; HCBP6; PD03104
SwissProt:	Q9BWH2
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human thyroid cancer
IHC Recommend dilution:	50-300





www.shjning.com

