

BCAS2 抗原(重组蛋白)

- 中文名称: BCAS2 抗原(重组蛋白)
- 英文名称: BCAS2 Antigen (Recombinant Protein)
- 别名: DAM1; SPF27; Snt309
- 储存: 冷冻(-20℃)
- 相关类别: 抗原

概述

Full length fusion protein

技术规格

Full name:	breast carcinoma amplified sequence 2
Synonyms:	DAM1; SPF27; Snt309
Swissprot:	O75934
Gene Accession:	BC005285
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	BCAS2 (breast carcinoma amplified sequence 2), also designated DA M1 (DNA amplified in mammary carcinoma 1 protein) or spliceosom e-associated SPF 27, is a ubiquitously expressed nuclear protein that was originally identified as being overexpressed in various breast can cer cell lines. BCAS2 is now known to be a component of the splice osome, participating in the removal of introns from mRNA precursor s. BCAS2 specifically interacts (in a ligand-independent manner) with TR \int (thyroid hormone receptor beta), ER? (estrogen receptor alpha), E \int , PR (progesterone receptor), and PPAR? (Peroxisome proliferator-acti



www.shjning.com

ted receptor gamma). BCAS2 functions as an ER coactivator and is c apable of enhancing ER-mediated transcription. This suggests that B CAS2 is involved in the development of breast cancer.