

兔抗 GAK 多克隆抗体

中文名称: 兔抗 GAK 多克隆抗体

英文名称: Anti-GAK rabbit polyclonal antibody

别 名: DNAJ26; DNAJC26

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

抗原: GAK

宿 主: Rabbit

反应种属: **Human Mouse**

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

| Background: | In all eukaryotes, the cell cycle is governed by cyclin-de pendent protein kinases (CDKs), whose activities are regulated by cyclins and CDK inhibitors in a diverse array of mechanisms that involve the control of phosphorylation and dephosphorylation of Ser, Thr or Tyr residues. Cyclin s are molecules that possess a consensus domain called the 'cyclin box.' In mammalian cells, 9 cyclin species have been identified, and they are referred to as cyclins A through I. |
|-------------------|---|
| Applications: | WB |
| Name of antibody: | GAK |
| Immunogen: | Synthesized peptide derived from Internal of human GAK . |
| Full name: | cyclin G associated kinase |



www.shjning.com

| Synonyms: | DNAJ26; DNAJC26 |
|--------------------------|------------------|
| SwissProt: | O14976 |
| WB Predicted band size: | 143 kDa |
| WB Positive control: | 293 cells lysate |
| WB Recommended dilution: | 500-3000 |

