

兔抗 GATA1 (Phospho-Ser142)多克隆抗体

中文名称:	兔抗 GATA1 (Phospho-Ser142)多克隆抗体
英文名称:	Anti-GATA1 (Phospho-Ser142) rabbit polyclonal antibody
别名:	GF1; GF-1; NFE1; XLTT; ERYF1; XLANP; XLTDA; GATA-1
相关类别:	一抗
储存:	冷冻 (-20℃) 避光
宿主:	Rabbit
抗原:	GATA1 (Phospho-Ser142)
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	GATA1 encodes a protein which belongs to the GATA family of transcription factors. The protein plays an important role in erythroid development by regulating the switch of fetal hemoglobin to adult hemoglobin. Mutations in this gene have been associated with X-linked dyserythropoietic anemia and thrombocytopenia.
Applications:	WB, IHC, IF
Name of antibody:	GATA1 (Phospho-Ser142)
Immunogen:	Synthetic peptide of human GATA1 (Phospho-Ser142)
Full name:	GATA binding protein 1 (globin transcription factor 1) (Phospho-Ser142)
Synonyms :	GF1; GF-1; NFE1; XLTT; ERYF1; XLANP; XLTDA; GATA-1
SwissProt:	P15976
IHC positive control:	Human breast carcinoma

IHC Recommend dilution:	50-100
WB Predicted band size:	43 kDa
WB Positive control:	HL60 cells untreated or treated with PMA
WB Recommended dilution:	500-1000
IF Positive control:	Hela cells
IF Recommended dilution	100-200



