

CST1 抗原（重组蛋白）

中文名称：CST1 抗原（重组蛋白）

英文名称：CST1 Antigen (Recombinant Protein)

别名：cystatin SN

储存：冷冻（-20℃）

相关类别：抗原

概述

Fusion protein corresponding to a region derived from 21-141 amino acids of human CST1

技术规格

Full name:	cystatin SN
Swissprot:	P01037
Gene Accession:	BC021225
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	The cystatin superfamily encompasses proteins that contain multiple cystatin-like sequences. Some of the members are active cysteine protease inhibitors, while others have lost or perhaps never acquired this inhibitory activity. There are three inhibitory families in the superfamily, including the type 1 cystatins (stefins), type 2 cystatins and the kininogens. The type 2 cystatin proteins are a class of cysteine proteinase inhibitors found in a variety of human fluids and secretions, where they appear to provide protective functions. The cystatin locus on chromosome 20 contains the majority of the type 2 cystatin genes and pseudogenes. This gene is located in the cystatin locus and encodes a cysteine proteinase inhibitor found in saliva, tears, urine, and

	seminal fluid.
--	----------------