

## 兔抗 TTC12 多克隆抗体

- 中文名称: 兔抗 TTC12 多克隆抗体
- 英文名称: Anti-TTC12 rabbit polyclonal antibody
- 别 名: tetratricopeptide repeat domain 12; TPARM
- 抗 原: TTC12
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 反应种属: Human
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

Background:	TTC12 (tetratricopeptide repeat domain 12), also known as TPARM, is a 705 amino acid cytoplasmic protein con taining a TPR repeat domain and three armadillo repea t motifs. TTC12 is expressed in testis, prostate, lung, ge rminal center B cells, neuroblastoma, teratocarcinoma, c olon cancer and gastric cancer. The gene encoding TTC 12 is located in a region of human chromosome 11 th at is commonly deleted in a variety of cancers, therefor e, it is considered a candidate tumor suppressor gene. Human chromosome 11 houses over 1,400 genes and comprises nearly 4% of the human genome.
Applications:	ELISA, WB, IHC
Name of antibody:	TTC12
Immunogen:	Fusion protein of human TTC12



## www.shjning.com

Full name:	tetratricopeptide repeat domain 12
Synonyms:	TPARM
SwissProt:	Q9H892
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	79 kDa
WB Positive control:	Human bladder transitional cell carcinoma grade 2-3 tis sue lysate
WB Recommended dilution:	500-2000





