

兔抗 UBE2V1 多克隆抗体

中文名称: 兔抗 UBE2V1 多克隆抗体

英文名称: Anti-UBE2V1 rabbit polyclonal antibody

别 名: CIR1; UEV1; CROC1; UBE2V; UEV-1; UEV1A; CROC-1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: UBE2V1

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格


Background:

Ubiquitin-conjugating E2 enzyme variant proteins constitut e a distinct subfamily within the E2 protein family. They h ave sequence similarity to other ubiquitin-conjugating enz ymes but lack the conserved cysteine residue that is critic al for the catalytic activity of E2s. The protein encoded b y this gene is located in the nucleus and can cause trans criptional activation of the human FOS proto-oncogene. It is thought to be involved in the control of differentiation by altering cell cycle behavior. Alternatively spliced transcr ipt variants encoding multiple isoforms have been describ ed for this gene, and multiple pseudogenes of this gene have been identified. Co-transcription of this gene and the neighboring upstream gene generates a rare transcript (Kua-UEV), which encodes a fusion protein comprised of s



www.shjning.com

	equence sharing identity with each individual gene product.
Applications:	ELISA, WB, IHC
Name of antibody:	UBE2V1
Immunogen:	Full length fusion protein
Full name:	ubiquitin conjugating enzyme E2 variant 1
Synonyms:	CIR1; UEV1; CROC1; UBE2V; UEV-1; UEV1A; CROC-1
SwissProt:	Q13404
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and human breast cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	16 kDa
WB Positive control:	Human fetal brain tissue,HT-29 cell and Jurkat cell lysates
WB Recommended dilution:	500-2000





www.shjning.com

