

兔抗 UBL7 多克隆抗体

中文名称：兔抗 UBL7 多克隆抗体

英文名称：Anti-UBL7 rabbit polyclonal antibody

别名：ubiquitin like 7; TCBA1; BMSC-UbP

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：UBL7

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Ubiquitin is an important cellular signal that targets proteins for degradation or regulates their functions. UBL7 (ORF name SB132) encodes ubiquitin-like protein 7 also named bone marrow stromal cell ubiquitin-like protein (BMSC-UbP) capable of binding ubiquitin. BMSC-UbP protein is derived from bone marrow stromal cells containing a ubiquitin-associated (UBA) domain at the C terminus that has been implicated in linking cellular processes and the ubiquitin system. BMSC-UbP mRNA is widely expressed in human multiple tissues and various tumor cell lines and is decreased in BMSC stimulated with phorbol myristate acetate (PMA) suggesting a role in regulation of BMSC function.
Applications:	ELISA, WB, IHC

Name of antibody:	UBL7
Immunogen:	Fusion protein of human UBL7
Full name:	ubiquitin like 7
Synonyms:	TCBA1; BMSC-UbP
SwissProt:	Q96S82
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	100-200
WB Predicted band size:	41 kDa
WB Positive control:	Mouse testis tissue, Hela cell lysates
WB Recommended dilution:	500-2000



