

兔抗 UBR7 多克隆抗体

中文名称：兔抗 UBR7 多克隆抗体

英文名称：Anti-UBR7 rabbit polyclonal antibody

别名：ubiquitin protein ligase E3 component n-recognin 7 (putative); C14orf130

相关类别：一抗

抗原：UBR7

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

Ubiquitination is an important mechanism through which three classes of enzymes act in concert to target short-lived or abnormal proteins for destruction. The three classes of enzymes involved in ubiquitination are the ubiquitin-activating enzymes (E1s), the ubiquitin-conjugating enzymes (E2s) and the ubiquitin-protein ligases (E3s). Ubr7 (ubiquitin protein ligase E3 component n-recognin 7), also known as C14orf130 or N-recognin-7, is a 425 amino acid protein that contains one UBR-type zinc finger and one PHD zinc finger. Participating in protein modification events within the N-end rule pathway, Ubr7 functions as an E3 ubiquitin-protein ligase that recognizes and binds proteins that contain destabilizing N-terminal residues, thereby leading to their

	ubiquitination and subsequent degradation.
Applications:	ELISA, WB, IHC
Name of antibody:	UBR7
Immunogen:	Fusion protein of human UBR7
Full name:	ubiquitin protein ligase E3 component n-recognin 7 (putative)
Synonyms:	C14orf130
SwissProt:	Q8N806
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human colorectal cancer;Human liver cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	48 kDa
WB Positive control:	Hela cell lysate
WB Recommended dilution:	200-1000



