

## 兔抗 UCHL5 多克隆抗体

中文名称：兔抗 UCHL5 多克隆抗体

英文名称： Anti-UCHL5 rabbit polyclonal antibody

别名： UCH37; CGI-70; INO80R; UCH-L5

相关类别： 一抗

抗原： UCHL5

储存： 冷冻（-20℃）

宿主： Rabbit

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	Ubiquitin carboxyl-terminal hydrolase isozyme L5 is an enzyme that in humans is encoded by the UCHL5 gene. Protease that specifically cleaves 'Lys-48'-linked polyubiquitin chains. Deubiquitinating enzyme associated with the 19S regulatory subunit of the 26S proteasome. Putative regulatory component of the INO80 complex; however is inactive in the INO80 complex and is activated by a transient interaction of the INO80 complex with the proteasome via ADRM1.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	UCHL5
<b>Immunogen:</b>	Fusion protein of human UCHL5
<b>Full name:</b>	ubiquitin carboxyl-terminal hydrolase L5
<b>Synonyms :</b>	UCH37; CGI-70; INO80R; UCH-L5
<b>SwissProt:</b>	Q9Y5K5

<b>ELISA Recommended dilution:</b>	1000-2000
<b>IHC positive control:</b>	Human thyroid cancer and human cervical cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	38 kDa
<b>WB Positive control:</b>	Human fetal kidney tissue and 293T cells
<b>WB Recommended dilution:</b>	200-1000



