

PGC 抗原(重组蛋白)

中文名称: PGC 抗原(重组蛋白)

英文名称: PGC Antigen (Recombinant Protein)

别 名: PEPC, PGII

储 存: 冷冻(-20℃)

相关类别: 抗原

概述

Fusion protein corresponding to a region derived from 1-97 amino acids of human PGC

技术规格

Full name:	progastricsin (pepsinogen C)
Synonyms:	PEPC, PGII
Swissprot:	P20142
Gene Accession:	BC042578
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	This gene encodes an aspartic proteinase that belongs to the pe ptidase family A1. The encoded protein is a digestive enzyme th at is produced in the stomach and constitutes a major compone nt of the gastric mucosa. This protein is also secreted into the s erum. This protein is synthesized as an inactive zymogen that inc ludes a highly basic prosegment. This enzyme is converted into i ts active mature form at low pH by sequential cleavage of the p rosegment that is carried out by the enzyme itself. Polymorphis ms in this gene are associated with susceptibility to gastric canc ers. Serum levels of this enzyme are used as a biomarker for cer tain gastric diseases including Helicobacter pylori related gastritis.



www.shjning.com

Alternate splicing results in multiple transcript variants. A pseudo gene of this gene is found on chromosome 1.