

兔抗 VDAC3 多克隆抗体

中文名称: 兔抗 VDAC3 多克隆抗体

英文名称: Anti-VDAC3 rabbit polyclonal antibody

别 名: VDAC-3; HD-VDAC3

抗 原: VDAC3

储 存: 冷冻 (-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a voltage-dependent anion chan nel (VDAC), and belongs to the mitochondrial porin family. VDACs are small, integral membrane proteins that traverse the outer mitochondrial membrane and conduct ATP and other small metabolites. They are known to bind several kinases of intermediary meta bolism, thought to be involved in translocation of a denine nucleotides, and are hypothesized to form p art of the mitochondrial permeability transition pore, which results in the release of cytochrome c at the onset of apoptotic cell death. Alternatively transcript variants encoding different isoforms have been desc ribed for this gene. [provided by
Applications:	ELISA, WB



www.shjning.com

Name of antibody:	VDAC3
Immunogen:	Full length fusion protein
Full name:	voltage-dependent anion channel 3
Synonyms:	VDAC-3; HD-VDAC3
SwissProt:	Q9Y277
ELISA Recommended dilution:	1000-2000
WB Predicted band size:	31 kDa
WB Positive control:	Mouse heart tissue
WB Recommended dilution:	200-1000





